## EAST Search History

## EAST Search History (Prior Art)

Ref#	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	25	("3640837"   "4175162"   "4259273"   "4444825"   "464268"   "4738704"   "4830913"   "5689277"   "5837342"   "6042924").PN.	US PCPUB; USPAT; USOCR; FPRS; EPO; JPO; DEEWIENT; IBM_TDB	OR	OFF	2009/03/26
S2	5	("4799745"   "5208080").PN. OR ("6042924").URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2009/03/26 10:15
S3	21690	glass near5 pane	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/26 10:17
S4	1112	intumescent near5 (film layer sheet ply web)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/26 10:17
<b>S</b> 5	887167	laminating laminated laminate	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/26 10:18
S6	4	S3 same S4 same S5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/26 10:18
S7	1119012	laminating laminated laminate sandwiched	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/26 10:20

S8	77293	(glass glazing) near5 (panel pane)	US PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/26 10:20
S9	4078	S5 same S8	US PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/26 10:21
S10	31	59 and 54	US PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/26 10:21
S11	18	S4 same (overlapping overlapped abutting abutt)	US PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/26 10:31
S12	4816	intumescent	US PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/04/21 10:23
S13	939376	laminated laminate laminating lamination	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/04/21 10:23
S14	739	S12 and S13	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/04/21 10:23
S15	255	S12 with S13	US PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/04/21 10:23

S16	74	S15 same glass	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	O .	2009/04/21 10:24
S17	33	S16 and (pressure and temperature)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/21 10:25
S18	31	S17 and (binder adhesive glue)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/21 10:25
S19	1959258	abut abutted overlapped overlapping overlap abutting	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/21 10:39
S20	586	S19 and S12	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/21 10:39
S21	6761330	film sheet ply web	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/21 10:41
S22	536626	S21 with edge	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/21 10:41
S23	42040	S22 same (overlap abut)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/21 10:42

S24	28	\$23 and \$12	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	on 	2009/04/21 10:42
S25	19499	fire with protection	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/21 11:07
S26	931	S25 and S12	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/21 11:07
S27	227	\$26 and \$13	US-PCPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/21 11:07
S28	799055	lamination laminating laminated lamiante	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/05/05 14:13
S29	941613	lamination laminating laminated laminate	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/05/05 14:13
S30	4826	intumescent	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/05/05 14:14
S31	742	S29 and S30	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM TDB	OR	OFF	2009/05/05 14:14

S32	142	S31 and (overlapping overlapped overlap abutting abut)	US PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/05/05 14:15
S33	4904	intumescent	US PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/20 13:43
<b>S</b> 34	952691	laminated laminating lamination laminate	US PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/20 13:43
S35	8673799	film web ply substrate strip layer	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/20 13:44
<b>S</b> 36	254	S33 same S34 same S35	US PGPUB; USPAT; USCCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/20 13:44
<b>S</b> 37	153	S36 same fire	US PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/20 13:44
S38	6493527	film web sheet ply	US PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/21 12:23
<b>S</b> 39	6848302	film web sheet ply	US PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/21 12:23

S40	897	intumescent with \$39	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/21 12:23
S41	244104	preformed preforming preform	US PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/21 12:24
S42	<b>2</b> 5	S40 with S41	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/21 12:24
S43	2201471	glass	US PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/21 14:53
S44	4925	intumescent	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/21 14:54
<b>S</b> 45	798	S43 same S44	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/21 14:54
S46	824660	laminated laminating lamination lamiante	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/21 14:54
S47	74	S45 same S46	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM TDB	OR	ON	2009/07/21 14:54

S48	27	intumescent with (sandwich sandiwiching sandwiched) with glass	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/22 09:13
S49	13	S48 same (laminating laminated laminate laminator)	US PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/22 09:13
S50	3	S49 and (pressure and temperature)	US PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/22 09:13
S51	1513	intumescent with (coating coated coat)	US PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/22 09:20
S52	109	S51 same (laminating laminated laminate laminator)	US PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/22 09:21
<b>S</b> 53	6	S52 same (pressure and temperature)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/22 09:21
<b>S</b> 54	27	(intumescent intumecence) with (sandwich sandwiching sandwiched) with glass	US-PGPUB; USPAT; USCOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/22 09:23
S55	105	("2813046"   "2912392"   "3202567"   "3320087"   "3466222"   "3672951"   "3733289").PN. OR ("3934066").URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2009/07/22 09:25

S56	332163	glass near5 (substrate pane panel)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	MOR	WOFF	2009/07/22 09:44
S57	23146	S56 same (laminating laminated laminate laminator)	US PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/22 09:45
S58	17	S57 same intumescent	US PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/22 09:46
S59	2164884	glass	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/22 09:52
S60	1360	(coated coating coat) with intumescent	US PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/22 09:52
S61	191	S60 same glass	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/22 09:52
S62	53	S61 same (laminated laminating laminator pressure temperature)	US PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/22 09:53
S63	953724	laminating laminated laminate lamination	US PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM TDB	OR	OFF	2009/07/28 09:10

S64	5333	intumescent intumescence	US-PCPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/28 09:10
S65	267	S63 with S64	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/28 09:10
S66	183	S65 and glass	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/28 09:11
S67	105	("2813046"   "2912392"   "3202567"   "3320087"   "3466222"   "3672951"   "3733289").PN. OR ("3934066").URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2009/07/28 09:13
S68	82	("2130605"   "2503984"   "2647463"   "3029731"   "3121021"   "3257226"   "3265556"   "3360396"   "3407084"   "3467600"   "35635728"   "366728"   "366728"   "3697788"   "3697788"   "3897780"   "3897780"   "4934066"   "4024679"   "4054710"   "4112177"   "4163822"   "4165404"   "4202925"   "4219376"	US-PGPUB; USPAT; USOCR	OR	OFF	2009/07/28 09:16

	"4325321"		
	"4327153"		
	"4416448"		
	"4427737"		
	"4442162"		
	"4495318"		
	"4558888"		
	"4612074" İ		
	"4698110"		
	"4764402"		
	"4798201"		
	"4805552"		
	"4883209"		
	"4886564"		
	"4886680" I		
	"4904425"		
	"4967740"		
	"4973513" I		
	"5009408"		
	"5029832"		
i	"5067699" I		
	"5085167"		
	"Re24906").PN. OR		
	("5487780").URPN.		

## 7/28/2009 2:13:02 PM

C:\ Documents and Settings\ jlee12\ My Documents\ EAST\ Workspaces\ 10560758 method for producing fire protectrion glazing.wsp